

FIG. 1 (PRIOR ART)





FIG. 2 (PRIOR ART)

VERSION FIELD (4)	TRAFFIC CLASS FIELD (8)	FLOW LABEL FIELD (20)	
PAYLOAD LENGTH FIELD (16)		NEXT HEADER FIELD (8)	HOP LIMIT FIELD (8)
ORIGIN ADDRESS FIELD (128bits)			
DESTINATION ADDRESS FIELD (128bits)			
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	HOP-BY-HOP OPTION EXTENDED HEADER	
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	DESTINATION OPTION EXTENDED HEADER (INTERMEDIATE NODE)	
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	ROUTING EXTENDED HEADER	
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	FRAGMENT EXTENDED HEADER	
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	AUTHENTICATION EXTENDED HEADER	
NEXT HEADER FIELD (8)	HEADER EXTENDED LENGTH FIELD (8)	DESTINATION OPTION EXTENDED HEADER (DESTINATION NODE)	


BEST AVAILABLE COPY

FIG. 3A (PRIOR ART)



# BEST AVAILABLE COPY

FIG. 3B (PRIOR ART)



# BEST AVAILABLE COPY

FIG. 3C (PRIOR ART)




FIG. 4




FIG. 5




FIG. 6

